

"RE-BUILDING THE CITY'S WATER SYSTEMS FOR THE 21ST CENTURY"

Sewerage & Water Board of NEW ORLEANS

MITCHELL J. LANDRIEU, President SCOTT JACOBS, President Pro-Tem 625 ST. JOSEPH STREET
NEW ORLEANS, LA 70165 • 504-529-2837 OR 52W-ATER
www.swbno.ora

September 19, 2016

The Pension Committee met on Monday, September 19, 2016 in the 2nd Floor Board Room, 625 St. Joseph Street, New Orleans, LA. The meeting convened at approximately 2:05 p.m.

PRESENT:

Joseph Peychaud Harold Heller Scott Jacobs Marvin Russell

Eric Blue Chante' Powell-Pierre

Ralph Johnson John Wilson

Alan Arnold

ABSENT:

None

OTHER COMMITTEE/BOARD MEMBERS PRESENT:

None

Joseph Peychaud welcomed the new Pension Committee members, Ralph Johnson and Chante' Powell-Pierre.

ACTION ITEMS:

1. Asset Allocation Targets and Ranges for Employees' Retirement System of Sewerage & Water Board of New Orleans – (R-092-2016)

John Wilson moved approval of the Asset Allocation Targets and Ranges for Employees' Retirement System of Sewerage & Water Board of New Orleans (R-092-2016). Marvin Russell seconded the motion. The motion failed.

A roll call vote was taken and resulted as follows:

Yeas: Harold Heller, Marvin Russell, Chante'Powell-Pierre, John Wilson

Nays: Alan Arnold, Eric Blue, Scott Jacobs, Joseph Peychaud

Abstention: Ralph Johnson

Based upon the above vote, the action item failed to pass.

PRESENTATION ITEMS:

There were no presentation items to come before the Pension Committee.

INFORMATION ITEMS:

There was one (1) information item received.

There being no further business to come before the Pension Committee, the meeting adjourned at approximately 3:30 p.m.

Also in attendance were Cedric S. Grant, Executive Director; Robert Miller, Deputy Director, CFO; Nolan Lambert, Special Counsel; Harold Marchand, Legal Department; Ronald Doucette, Deputy

Director, Security; Kathleen LaFrance, Board Relations; Octave Francis; Melanie Parent, FFC;

Raymond Gable, Internal Audit Department.

Respectfully submitted,

Joseph Peychaud

Chair