Section Two

Quarterly CO & NOx Exceedence Report
January 2, 2013 to March 31, 2013
40 CFR Part 60, Subpart A, §60.7 and
40CFR Part 503

Data Submitted:

- ***CO &NOx average quarterly exceedence report***
- ***Monthly dry oxygen CEM report***
- ***Monthly moisture CEM report***
- ***Monthly CO CEM report***
- ***Monthly NOx CEM report***
- ***Monthly Sox CEM report***

Quarterly Exceedence Report

VEOLIA WATER

New Orleans - East Bank WWTP
Jan 01, 2013

Date/Time	Description	Duration	Peek Value	Operator	Reason
03/11/2013 10:29:42	SO2 > 100 ppm	00:03:19	500.00	Steve Shulin	Maintenance Repair
03/11/2013 14:35:09	SO2 > 100 ppm	00:02:18	111.00	Administrator	Maintenance Repair
03/12/2013 05:07:52	CO > 100 ppm	00:05:15	169.60	CHRIS WILLIAMS	Maintenance Calibration
03/12/2013 07:28:39	CO > 100 ppm	00:06:17	212.00	Jawanda Trimont	Maintenance Calibration
03/13/2013 05:07:03	CO > 100 ppm	00:07:06	282.30	Herbert Thomas	Adjusting Feed Pump
03/14/2013 05:07:00	CO > 100 ppm	00:07:12	285.90	Herbert Thomas	Adjusting Feed Pump
03/15/2013 05:07:07	CO > 100 ppm	00:07:06	300.20	Herbert Thomas	Maintenance Calibration
03/15/2013 08:33:42	CO > 100 ppm	00:05:01	147.10	Steve Shulin	Adjusting Feed Rate
03/15/2013 08:40:25	CO > 100 ppm	00:09:00	349.40	Steve Shulin	Adjusting Air Flow
03/16/2013 05:07:14	CO > 100 ppm	00:05:18	184.80	CHRIS WILLIAMS	Maintenance Calibration
03/16/2013 13:31:45	CO > 100 ppm	00:06:06	172.70	Granville Guillo	Adjusting Feed Rate
03/16/2013 13:38:39	CO > 100 ppm	00:07:19	212.50	Granville Guillo	Adjusting Feed Rate
03/16/2013 13:51:46	CO > 100 ppm	00:07:00	251.30	Granville Guillo	Adjusting Feed Rate
03/16/2013 13:59:40	CO > 100 ppm	00:06:48	244.30	Granville Guillo	Adjusting Feed Rate
03/16/2013 14:13:10	CO > 100 ppm	00:06:24	170.70	Granville Guillo	Adjusting Feed Rate
03/16/2013 14:38:58	CO > 100 ppm	00:07:12	163.10	Granville Guillo	Adjusting Feed Rate
03/16/2013 15:05:10	CO > 100 ppm	00:05:00	150.40	Granville Guillo	Adjusting Feed Rate
03/16/2013 16:08:16	CO > 100 ppm	00:06:06	138.80	Granville Guillo	Adjusting Feed Rate
03/16/2013 16:50:04	CO > 100 ppm	00:04:18	131.90	Granville Guillo	Adjusting Feed Rate
03/17/2013 05:07:25	CO > 100 ppm	00:06:54	217.60	CHRIS WILLIAMS	Maintenance Calibration
03/17/2013 14:31:54	NOX > 100 ppm	00:02:24	112.70	Granville Guillo	Adjusting Feed Rate
03/25/2013 13:15:41	CO > 100 ppm	00:08:18	348.70	Steve Shulin	Maintenance Calibration
03/25/2013 13:52:59	CO > 100 ppm	00:08:00	353.90	Steve Shulin	Maintenance Calibration
03/26/2013 05:06:26	CO > 100 ppm	00:08:06	357.90	CHRIS WILLIAMS	Maintenance Calibration
03/27/2013 05:06:22	CO > 100 ppm	00:08:12	358.80	CHRIS WILLIAMS	Maintenance Calibration
03/27/2013 18:17:46	CO > 100 ppm	00:04:24	136.00	Jawanda Trimont	Adjusting Feed Pump
03/28/2013 05:06:23	CO > 100 ppm	00:08:19	359.40	Herbert Thomas	Maintenance Calibration
03/28/2013 11:20:07	CO > 100 ppm	00:04:42	166.30	Jawanda Trimont	Adjusting Feed Rate
03/28/2013 12:03:49	CO > 100 ppm	00:04:36	158.40	Jawanda Trimont	Adjusting Feed Rate
03/29/2013 05:06:26	CO > 100 ppm	00:08:00	350.90	Herbert Thomas	Maintenance Calibration
03/29/2013 10:47:14	CO > 100 ppm	00:01:54	102.20	Jawanda Trimont	Adjusting Air Flow
03/29/2013 19:02:46	CO > 100 ppm	00:05:30	235.40	Herbert Thomas	Adjusting Feed Pump
03/30/2013 05:06:22	CO > 100 ppm	00:08:12	369.00	Herbert Thomas	Maintenance Calibration
03/30/2013 13:09:04	CO > 100 ppm	00:00:36	105.00	Jawanda Trimont	Adjusting Air Flow
03/30/2013 14:26:40	CO > 100 ppm	00:06:13	233.10	Jawanda Trimont	Adjusting Feed Pump
03/30/2013 14:40:29	CO > 100 ppm	00:04:17	121.60	Jawanda Trimont	Adjusting Air Flow

Quarterly Exceedence Report

VEOLIA WATER

New Orleans - East Bank WWTP
Jan 01, 2013

Date/Time	Description	Duration	Peek Value	Operator	Reason
03/30/2013 16:33:53	CO > 100 ppm	00:05:19	230.30	Jawanda Trimont	Adjusting Feed Rate
03/31/2013 05:06:27	CO > 100 ppm	00:08:12	354.10	Herbert Thomas	Maintenance Calibration
03/31/2013 12:32:25	CO > 100 ppm	00:04:24	141.20	Jawanda Trimont	Adjusting Feed Rate
03/31/2013 13:10:44	CO > 100 ppm	00:05:24	220.50	Jawanda Trimont	Adjusting Air Flow
03/31/2013 13:45:55	CO > 100 ppm	00:01:54	123.00	Jawanda Trimont	Adjusting Feed Rate
03/31/2013 14:33:01	CO > 100 ppm	00:13:06	395.80	Jawanda Trimont	Adjusting Feed Rate
03/31/2013 17:22:13	CO > 100 ppm	00:05:49	242.40	Jawanda Trimont	Adjusting Air Flow
03/31/2013 21:15:44	CO > 100 ppm	00:05:18	220.90	Herbert Thomas	Adjusting Feed Rate
03/31/2013 22:03:20	CO > 100 ppm	00:03:00	118.50	Herbert Thomas	Adjusting Feed Pump
03/31/2013 22:10:38	CO > 100 ppm	00:14:48	490.00	Herbert Thomas	Adjusting Feed Pump
03/31/2013 22:41:32	CO > 100 ppm	00:07:36	237.30	Herbert Thomas	Adjusting Feed Rate
03/31/2013 22:52:44	CO > 100 ppm	00:05:48	272.40	Herbert Thomas	Adjusting Feed Pump
03/31/2013 23:04:02	CO > 100 ppm	00:04:30	142.80	Herbert Thomas	Adjusting Feed Rate
03/31/2013 23:44:26	CO > 100 ppm	00:05:06	207.00	Herbert Thomas	Adjusting Feed Rate
03/31/2013 23:55:44	CO > 100 ppm	00:05:12	215.20	Herbert Thomas	Adjusting Feed Rate

Monthly O2 Analyzer Report

New Orleans - East Bank WWTP
Jan 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly O2 CEM Report

New Orleans - East Bank WWTP
Jan 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly O2 Analyzer Report

New Orleans - East Bank WWTP
Feb 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	22.5	15.8	19.6	19.1	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0
28	19.0	19.0	19.0	18.8	18.7	18.5	18.2	18.3	18.8	19.2	19.4	18.9	18.7	18.7	19.1	19.7	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8

Monthly O2 CEM Report

New Orleans - East Bank WWTP
Feb 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly O2 Analyzer Report

New Orleans - East Bank WWTP
Mar 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.9	19.8	19.7	19.9	19.9	19.9	19.8	19.5	19.6	19.6	19.6	19.6	19.6	19.6	19.7	19.
2	19.7	19.7	19.7	19.6	19.6	19.6	19.5	19.5	19.5	19.5	19.5	19.5	19.6	19.6	19.6	19.6	19.7	19.7	19.7	19.7	19.7	19.7	19.8	19.
3	19.8	19.7	19.7	19.7	19.7	19.6	19.6	19.6	19.6	19.5	19.6	19.6	19.7	19.7	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.
4	19.8	19.7	19.7	19.7	19.6	19.6	19.6	19.5	19.7	19.9	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.
5	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.7	19.5	19.5	19.4	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.
6	19.5	19.5	19.5	19.5	19.5	19.5	19.3	19.2	19.4	19.8	19.6	18.4	18.3	18.3	18.4	18.0	17.6	17.4	17.4	17.5	17.6	17.6	17.7	18.
7	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	17.9	17.8	17.5	17.3	17.2	17.3	17.3	17.3	17.3	17.3	17.3	17.3	17.
8	17.3	17.3	17.3	17.4	17.4	17.4	17.5	17.4	16.8	16.8	16.8	16.7	19.2	18.9	18.0	18.0	18.2	17.1	16.3	16.6	16.8	16.9	16.9	16.
9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.8	16.0	14.7	14.1	14.0	14.0	14.0	15.2	15.2	14.4	11.8	14.1	14.7	15.4	16.1	14.8	15.
10	15.3	15.4	15.7	15.6	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.8	16.0	16.1	16.1	16.2	16.4	16.4	15.8	15.3	15.7	15.7	15.7	15.
11	15.7	15.7	15.7	15.7	15.9	15.9	15.9	16.1	15.2	15.2	14.1	9.7	9.8	9.2	9.1	9.0	9.1	9.1	9.0	9.0	8.9	9.2	9.1	9.
12	9.5	9.5	9.6	9.6	9.6	9.6	9.5	9.4	9.2	9.1	8.5	7.6	7.0	6.9	7.3	7.2	7.2	7.0	6.7	7.1	6.9	7.0	7.1	7.
13	7.2	7.2	7.1	7.3	7.2	7.7	7.5	7.4	7.5	6.4	6.3	6.2	6.4	6.1	5.8	6.4	6.6	6.7	6.9	6.9	7.1	6.9	7.0	6.
14	6.8	6.8	6.2	6.6	6.8	7.4	6.9	6.6	5.8	7.6	7.1	5.2	5.9	5.7	5.6	6.1	6.1	6.0	6.1	6.0	6.0	6.3	6.8	6.
15	7.0	6.9	6.9	6.8	6.1	6.1	6.3	6.8	10.8	6.1	5.7	6.0	5.6	6.0	5.9	5.9	6.0	6.0	6.5	6.7	6.7	6.8	6.9	7.
16	7.7	7.2	6.9	6.8	6.5	6.5	6.4	6.1	6.5	6.0	5.4	6.1	6.4	5.6	5.0	6.9	7.3	5.4	5.9	9.7	6.5	5.7	5.8	5.
17	6.9	7.0	6.3	5.9	5.8	5.9	5.9	6.0	5.8	5.8	5.8	5.7	5.7	5.8	11.5	19.2	19.7	19.7	19.7	19.7	19.7	19.7	19.6	19.
	9.6	19.6	19.5	19.5	19.6	19.6	19.4	19.4	19.3	19.1	18.9	19.0	18.9	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.1	19.0	19.
19	19.0	19.1	19.1	19.1	19.1	19.1	19.0	17.9	19.2	19.5	19.6	19.7	19.8	19.8	19.8	19.9	19.9	19.9	19.8	19.9	19.7	19.8	19.9	19.
20	19.6	19.8	19.9	19.9	19.9	19.8	19.9	19.9	19.9	19.9	19.9	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.8	19.7	19.7	19.7	19.7	19.
21	19.6	19.6	19.6	19.6	19.6	19.6	19.5	19.4	18.9	18.6	19.0	18.7	18.8	18.4	17.4	16.9	16.7	16.8	17.4	18.0	18.2	18.1	18.1	18.
22	18.1	18.1	18.1	18.1	18.1	18.1	17.8	17.0	16.9	18.1	19.1	16.7	16.7	16.8	16.5	16.4	16.4	16.3	16.3	16.3	16.3	16.3	16.3	16.
23	16.3	16.3	16.3	16.3	16.3	16.3	16.2	16.2	16.3	16.2	16.2	16.2	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.2	15.5	15.
24	15.5	15.5	15.4	15.4	15.6	15.7	15.7	14.9	14.5	12.8	13.7	16.2	16.1	16.6	16.5	16.4	16.5	16.5	16.5	16.0	16.2	16.1	15.9	15.
25	16.0	16.1	16.1	16.1	16.2	16.1	16.1	13.9	10.2	5.7	5.5	5.9	6.1	6.7	6.2	6.3	6.2	6.1	6.1	6.6	6.5	7.3	7.4	7.
26	7.5	7.3	7.5	7.2	7.2	7.2	7.5	7.6	7.6	7.4	8.1	7.9	7.6	7.4	7.6	7.1	7.1	7.0	6.8	6.9	6.9	6.8	7.3	7.
27	7.5	7.6	7.4	7.5	7.7	7.6	7.7	6.7	5.9	6.5	6.5	5.8	5.8	6.1	6.2	5.9	5.6	5.5	6.1	7.0	6.7	6.7	6.8	7.
28	7.2	7.3	7.3	7.4	7.5	7.5	7.8	6.0	5.8	6.0	5.9	9.0	8.4	6.8	6.2	6.1	6.1	6.1	6.5	7.9	7.5	6.8	6.2	6.
29	7.0	7.6	7.6	7.6	10.4	7.3	7.1	6.6	5.3	5.8	5.4	5.4	5.4	5.4	5.3	5.3	5.2	5.4	5.5	5.6	5.8	5.8	5.7	5.
30	5.9	6.0	6.0	6.0	6.2	6.1	5.8	5.6	5.1	4.6	4.6	4.5	4.8	4.8	6.8	14.9	10.9	5.8	5.6	5.6	5.7	5.7	5.9	6.
31	6.0	6.1	6.2	6.0	5.4	5.4	5.5	6.1	5.9	5.7	6.0	6.2	9.5	12.2	14.2	10.7	10.8	10.9	11.0	10.9	9.3	11.0	11.9	10.

Monthly O2 CEM Report

New Orleans - East Bank WWTP
Mar 01, 2013

VEOLIA WATER

Hourly O2 Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	19.1	19.8	14.5	11.5	11.1	18.7	18.8	18.8	18.8	18.9	18.8	18.9
8	18.9	18.8	18.8	18.9	19.0	19.0	14.8	19.0	17.9	16.8	13.6	15.9	16.1	19.4	13.4	9.0	18.4	17.1	16.6	17.0	17.2	17.4	17.5	17.5
9	17.6	17.6	17.6	17.7	17.7	17.8	12.3	17.8	17.2	16.3	15.9	16.0	16.1	16.2	17.2	17.4	16.5	14.5	16.6	17.0	17.1	17.8	17.2	17.6
10	17.8	18.0	18.3	18.2	18.1	13.2	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.6	18.7	18.4	18.0	18.5	18.5	18.5	18.6
11	18.5	18.5	18.5	18.6	18.6	13.7	18.7	18.7	17.8	16.4	15.6	13.2	13.5	13.1	15.6	20.4	21.6	21.3	21.4	21.5	21.4	21.7	21.7	22.0
12	22.5	22.5	22.7	22.8	22.9	19.9	22.6	20.8	17.8	12.0	11.2	13.8	24.7	20.9	8.8	8.7	8.8	8.6	8.3	8.6	8.5	8.6	8.6	8.7
13	8.8	8.8	8.7	8.9	8.9	7.4	9.1	9.0	9.1	8.2	8.1	8.0	8.2	7.9	7.7	8.2	8.4	8.5	8.7	8.7	8.9	8.7	8.8	8.5
14	8.7	8.7	8.3	8.6	8.8	7.6	8.9	8.7	7.9	9.4	9.0	7.3	8.0	7.9	7.6	8.2	8.2	8.1	8.2	8.1	8.1	8.4	8.8	8.9
15	9.0	8.8	8.8	8.6	8.1	6.9	8.3	8.9	12.6	8.2	7.9	8.2	7.8	8.1	8.1	8.3	8.3	8.4	8.7	8.9	9.0	9.1	9.1	9.3
16	9.9	9.4	9.1	9.1	8.8	7.1	8.7	8.4	8.8	8.4	7.9	8.6	8.9	8.2	7.6	9.3	9.7	8.1	8.5	11.9	9.1	8.4	8.4	8.5
17	9.3	9.4	8.8	8.5	8.5	7.3	8.6	8.7	8.5	8.6	8.5	8.5	8.5	8.6	13.6	19.8	20.1	20.1	20.1	20.1	20.1	20.1	20.1	20.1
[illegible]	0.1	20.1	20.1	20.1	20.1	13.7	20.1	19.5	17.6	20.8	19.4	6.1	4.5	11.3	20.8	20.8	20.8	20.8	20.8	20.8	20.8	20.8	20.8	20.8
19	20.8	20.8	20.8	20.8	20.8	12.6	20.8	19.8	20.5	20.7	20.7	20.8	20.8	20.8	20.8	20.8	20.8	20.8	20.7	20.7	20.6	20.7	20.8	20.7
20	20.5	20.7	20.8	20.8	20.7	12.6	20.7	20.7	20.7	20.7	20.7	20.6	20.7	20.6	20.7	20.6	20.7	20.7	20.6	20.6	20.6	20.5	20.5	20.5
21	20.5	20.5	20.5	20.4	20.4	12.4	20.4	20.4	20.7	20.6	20.2	19.8	19.8	19.0	17.9	17.3	17.2	17.3	17.9	18.8	19.1	19.0	19.0	19.1
22	19.0	19.0	19.0	19.0	19.0	11.6	18.6	17.5	17.5	18.9	20.3	17.9	17.3	17.4	17.2	17.0	17.0	17.0	17.0	17.0	17.1	17.1	17.1	17.1
23	17.1	17.1	17.1	17.1	17.1	10.6	17.1	17.1	17.1	17.0	17.0	17.0	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.3	16.2
24	16.2	16.2	16.3	16.3	16.3	10.2	16.3	15.5	15.1	13.6	14.6	16.8	16.6	17.1	17.0	17.0	17.1	17.1	17.1	16.8	17.4	17.2	17.0	16.8
25	17.1	17.1	17.1	17.1	17.2	10.7	17.1	14.6	10.6	5.8	5.5	6.0	6.1	3.7	6.3	6.6	6.5	6.4	6.4	6.9	6.8	7.7	7.7	7.4
26	7.7	7.5	7.7	7.4	7.3	4.7	7.7	7.8	7.8	7.6	8.4	8.1	7.8	7.6	7.7	7.3	7.3	7.2	7.1	7.2	7.2	7.0	7.5	7.6
27	7.8	7.8	7.7	7.8	8.0	4.9	7.9	6.8	6.3	6.9	7.0	6.2	6.3	6.6	6.6	6.2	5.9	5.8	6.7	7.4	7.0	7.0	7.0	7.3
28	7.5	7.5	7.5	7.6	7.7	4.9	8.0	6.2	6.2	6.4	6.3	9.7	9.2	7.2	6.5	6.3	6.3	6.4	6.9	8.2	7.7	7.1	6.4	6.4
29	7.3	8.0	8.0	7.9	11.1	4.7	7.4	6.9	5.6	6.0	5.6	5.7	5.7	5.6	5.5	5.4	5.4	5.7	5.8	5.9	6.1	6.2	6.0	6.0
30	6.3	6.3	6.4	6.4	6.6	4.0	6.2	5.9	5.4	4.9	4.9	4.8	5.2	5.0	7.2	16.5	12.0	6.2	5.9	5.9	6.0	6.1	6.3	6.4
31	6.4	6.5	6.6	6.4	5.7	3.6	5.9	6.5	6.3	6.1	6.3	6.5	10.1	10.0	15.0	11.2	11.3	11.4	11.5	11.4	9.8	11.6	12.6	11.3

Monthly Moisture CEM Report

New Orleans - East Bank WWTP
Jan 01, 2013

VEOLIA WATER

Hourly Moisture Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.6	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
4	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
5	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
6	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
7	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
8	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
9	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
10	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
11	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
12	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
13	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
14	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
[illegible]	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
16	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
17	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
18	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
23	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
24	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
25	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
26	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
27	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
28	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
29	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
30	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
31	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$

Monthly Moisture CEM Report

New Orleans - East Bank WWTP
Feb 01, 2013

VEOLIA WATER

Hourly Moisture Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
2	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
3	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
4	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
5	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
6	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
7	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
8	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
9	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
10	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
11	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
12	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
13	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
14	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
[illegible]	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
16	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
17	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
18	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
19	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
20	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
21	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
22	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
23	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
24	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
25	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
26	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
27	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
28	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$

Monthly Moisture CEM Report

New Orleans - East Bank WWTP
Mar 01, 2013

VEOLIA WATER

Hourly Moisture Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
2	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
3	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
4	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
5	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
6	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$
7	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	1.$	442.7	11.7	1.$	1.$	1.$	7.8	7.9	8.0	8.0	8.0	8.0	8.1
8	8.2	8.2	8.3	8.2	8.3	8.3	8.3	8.6	577.9	48.7	1.$	48.4	1.$	31.3	1.$	1.$	1.2	1.3	2.0	2.2	2.4	2.9	3.2	3.6
9	3.8	4.1	4.4	4.4	4.7	5.0	5.3	5.4	7.2	9.9	11.7	12.4	12.7	13.0	12.1	12.3	12.8	20.6	15.4	14.6	10.3	9.5	14.1	14.[illegible]
10	14.1	14.2	13.9	13.9	13.9	14.0	14.0	14.0	14.3	14.2	14.1	13.6	13.0	11.9	12.0	11.4	11.8	12.5	14.1	14.8	14.9	15.0	15.0	15.[illegible]
11	15.3	15.1	15.3	15.5	14.8	15.1	15.0	14.2	15.1	7.4	9.9	26.6	27.2	30.8	39.6	55.7	58.0	57.5	57.8	58.4	58.3	57.7	57.8	57.[illegible]
12	57.6	57.9	57.7	57.8	58.3	57.7	57.7	59.8	55.4	18.9	24.5	42.8	71.4	65.7	17.0	17.4	17.3	17.9	19.0	18.0	18.6	18.1	18.3	18.[illegible]
13	17.9	18.0	18.0	18.0	18.2	15.3	17.7	18.1	18.0	21.9	22.1	22.5	21.6	23.1	24.3	22.3	21.6	21.2	20.5	20.3	19.5	20.4	20.4	21.[illegible]
14	21.3	21.6	24.5	23.3	23.2	22.5	22.9	23.7	26.5	19.7	22.0	28.8	26.9	27.7	27.0	25.5	25.7	26.4	26.0	26.6	26.5	25.0	22.8	22.[illegible]
15	21.5	21.7	21.2	21.7	24.3	26.2	23.8	24.2	20.1	26.3	28.5	27.1	28.0	26.4	27.0	28.1	27.9	27.9	26.1	25.4	25.0	24.6	24.5	23.[illegible]
16	21.8	23.3	24.8	25.0	26.3	28.8	26.7	27.8	26.1	28.6	32.0	28.5	28.6	31.9	35.1	26.6	27.5	33.0	30.5	20.6	28.9	31.6	31.2	30.[illegible]
17	26.4	26.2	29.0	30.8	31.1	31.6	31.0	30.7	32.0	31.9	32.4	32.9	32.7	32.3	18.0	2.8	2.3	2.2	2.1	2.1	2.2	2.3	2.3	2.[illegible]
18	2.4	2.8	2.9	2.9	2.5	2.5	3.2	1.$	1.$	8.4	1.$	1.$	1.$	1.$	8.7	8.8	8.9	8.8	8.7	8.6	8.5	8.5	8.5	8.[illegible]
19	8.5	8.4	8.4	8.3	8.3	8.1	8.5	9.5	6.3	6.0	5.3	4.7	4.4	4.4	4.4	4.3	4.2	4.2	4.3	4.3	4.6	4.2	4.0	5.[illegible]
20	4.4	4.3	4.2	4.2	4.2	4.4	4.2	4.1	4.2	4.2	4.1	4.1	4.2	4.2	4.3	4.2	4.2	4.1	4.3	4.2	4.3	4.3	4.1	4.[illegible]
21	4.2	4.3	4.2	4.1	4.2	4.0	4.1	5.3	8.9	9.6	5.8	5.3	4.8	3.6	3.0	2.6	2.5	2.7	3.1	4.5	5.0	5.0	5.0	5.[illegible]
22	5.0	5.0	4.9	4.9	4.8	4.9	4.4	3.5	3.5	4.1	5.8	6.5	3.5	3.6	4.1	4.1	4.0	4.0	4.1	4.4	4.6	4.6	4.7	4.[illegible]
23	4.9	4.9	5.0	5.0	5.0	5.0	5.1	5.0	5.0	4.9	4.7	4.7	4.6	4.5	4.5	4.6	4.6	4.7	4.7	4.7	4.6	4.7	4.5	4.[illegible]
24	4.8	4.8	4.8	5.1	4.3	3.3	3.7	3.5	3.7	6.7	6.4	3.3	2.9	3.2	3.2	3.3	3.4	3.5	3.8	4.6	6.9	6.5	6.3	6.[illegible]
25	6.0	5.9	5.9	5.8	5.7	6.1	5.6	7.3	3.7	4.0	3.0	2.8	2.7	1.9	4.7	5.2	5.1	5.1	4.9	5.0	4.8	5.1	4.2	3.[illegible]
26	3.2	2.9	3.1	2.5	2.3	2.8	2.7	2.8	2.6	2.7	3.7	3.2	2.8	2.8	2.8	2.4	3.2	3.3	4.3	4.4	4.0	3.7	3.8	3.[illegible]
27	3.3	3.4	3.1	3.3	3.6	4.7	3.4	4.1	5.8	6.6	7.1	6.9	6.6	6.7	6.8	5.9	6.0	6.6	9.7	5.9	5.1	4.2	3.1	3.[illegible]
28	3.1	3.1	3.1	3.3	3.4	5.9	3.3	5.5	5.5	6.5	6.6	8.6	9.5	6.7	5.3	4.6	4.3	4.8	5.6	3.7	3.3	3.6	3.6	3.[illegible]
29	4.5	4.5	4.5	4.5	10.2	4.9	4.1	4.3	5.6	4.6	4.7	5.9	5.2	4.7	4.4	4.6	4.7	5.6	6.2	6.4	6.1	6.1	6.0	5.[illegible]
30	6.0	6.1	5.9	5.9	6.1	5.0	6.0	5.9	5.8	6.2	6.0	6.0	6.4	5.4	7.7	10.2	12.0	5.6	5.6	5.6	5.8	5.8	5.8	6.[illegible]
31	6.2	6.0	6.1	6.3	5.9	8.0	6.0	6.4	6.3	6.6	5.5	4.4	5.1	142.8	5.4	4.4	4.5	4.5	4.8	5.0	4.6	5.3	5.6	5.[illegible]

Monthly CO CEM Report

New Orleans - East Bank WWTP
Jan 01, 2013

VEOLIA WATER

Hourly CO Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly CO CEM Report

New Orleans - East Bank WWTP
Feb 01, 2013

VEOLIA WATER

Hourly CO Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly CO CEM Report

New Orleans - East Bank WWTP
Mar 01, 2013

VEOLIA WATER

Hourly CO Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.0	2.7	4.7	3.8	3.4	2.3	1.6	1.6	1.8	1.9	2.0	1.9	2.0
12	1.9	1.9	1.9	2.0	1.9	20.2	1.9	23.8	2.5	2.1	2.1	2.1	2.4	1.9	1.7	2.7	3.7	2.5	2.9	2.3	2.4	1.8	1.8	2.2
13	2.2	2.2	2.4	2.0	2.1	30.4	1.8	2.1	2.1	3.7	3.3	3.5	2.9	4.4	4.8	4.2	2.9	2.0	1.9	1.8	1.8	1.8	2.0	2.4
14	2.3	2.5	3.6	2.5	2.2	30.3	2.2	2.2	5.0	2.9	3.3	8.1	3.9	3.9	6.1	3.2	3.2	4.2	3.7	3.9	4.2	2.9	2.4	2.1
15	2.1	2.1	2.1	2.4	3.4	32.7	3.2	5.0	52.6	8.5	8.1	10.7	11.6	5.4	5.1	5.9	5.3	4.1	1.8	2.1	1.4	0.4	0.9	0.7
16	0.7	0.2	0.7	0.5	0.7	21.3	2.7	4.3	2.4	14.5	35.9	13.8	29.0	79.4	86.0	18.9	44.4	26.1	14.3	1.1	6.9	12.7	9.3	10.6
17	8.1	5.5	6.8	12.0	17.0	31.6	15.7	11.3	22.2	15.9	18.6	22.5	18.8	14.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	15.3	16.6	5.9	4.7	73.4	3.2	2.6	2.2	3.7	3.3	3.3	2.2	1.8	1.4	1.4
26	1.3	1.3	1.8	1.4	1.6	37.3	1.3	1.3	1.3	1.5	1.4	1.3	1.2	1.4	1.3	1.6	1.8	1.6	1.6	1.6	1.6	2.6	1.4	1.1
27	1.4	1.3	1.5	1.4	1.2	37.5	1.3	17.9	11.7	2.6	3.0	7.9	7.2	3.7	13.1	7.6	11.5	12.7	20.3	2.4	4.4	5.1	7.2	4.6
28	3.2	2.5	2.7	3.4	2.8	38.9	2.1	10.7	15.1	10.8	17.3	20.9	15.5	2.5	6.9	9.1	7.8	7.3	3.6	1.3	3.5	4.7	9.8	8.5
29	3.5	1.5	1.5	1.6	6.2	37.7	3.3	9.5	41.1	16.3	41.5	31.0	32.1	33.1	30.1	33.3	32.3	30.3	24.7	49.4	11.9	10.5	11.7	10.9
30	7.0	5.4	6.4	4.5	6.6	42.2	6.3	9.1	25.1	44.9	43.0	40.0	31.9	39.4	46.5	7.0	30.8	5.0	6.4	5.7	5.5	7.1	5.2	5.2
31	5.1	5.8	6.3	8.0	21.4	53.7	22.8	11.2	11.9	14.9	7.4	6.9	14.3	30.6	66.4	1.5	2.3	37.7	8.7	2.2	1.9	21.3	168.3	49.4

Monthly NOX CEM Report

New Orleans - East Bank WWTP
Jan 01, 2013

VEOLIA WATER

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly NOX CEM Report

New Orleans - East Bank WWTP
Feb 01, 2013

VEOLIA WATER

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly NOX CEM Report

New Orleans - East Bank WWTP
Mar 01, 2013

VEOLIA WATER

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	13.0	14.1	22.2	15.5	14.9	15.0	15.1	15.2	14.8	15.3	16.7	17.6	16.9
12	16.7	15.1	15.0	14.4	15.3	16.9	16.8	18.4	22.8	20.9	19.3	19.8	18.6	25.7	27.1	24.1	22.7	23.9	29.4	30.1	29.7	29.3	29.3	29.8
13	29.6	27.4	26.0	26.3	26.9	24.0	21.9	21.3	21.2	21.6	21.0	21.4	19.4	17.9	22.8	22.2	19.7	17.8	17.0	16.6	16.4	16.2	16.1	19.4
14	21.3	22.1	19.7	21.4	21.3	18.7	16.4	15.8	16.0	20.4	16.1	18.8	18.4	17.4	17.2	15.6	15.7	16.4	16.7	16.6	17.3	18.0	16.0	14.4
15	13.8	14.2	14.5	14.7	16.4	17.3	15.9	15.1	11.0	17.3	16.0	17.7	19.8	17.1	16.5	16.2	16.1	16.5	15.9	14.9	14.5	14.1	15.0	16.7
16	13.8	14.0	15.1	13.7	14.3	13.7	14.7	16.2	15.6	16.6	18.3	16.9	25.7	20.3	20.5	15.8	17.0	18.8	18.1	27.6	21.6	16.5	16.9	17.3
17	15.8	17.9	17.0	19.4	20.8	22.0	20.6	20.2	22.1	22.8	23.2	23.7	23.7	24.6	30.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	11.0	15.8	20.5	23.3	26.0	18.3	17.5	18.2	18.2	19.1	18.9	17.8	19.0	25.9	21.8	17.7
26	17.5	18.9	16.4	18.0	20.6	20.1	19.0	19.3	19.1	19.7	22.9	21.3	18.6	18.7	17.8	19.1	18.9	20.4	21.4	21.3	21.5	21.4	20.6	22.0
27	20.9	19.2	19.1	20.6	21.2	18.8	17.9	20.3	25.0	26.8	21.3	25.3	28.1	23.8	23.5	22.7	25.6	27.0	27.1	22.5	25.2	27.2	28.6	27.
28	28.3	30.1	32.5	32.6	31.9	28.2	26.6	34.6	34.7	32.9	32.3	29.1	22.7	24.8	28.1	29.6	30.8	32.2	31.8	23.8	24.1	32.9	36.5	36.4
29	37.1	36.1	36.9	35.5	33.7	37.0	38.4	38.2	34.7	44.6	38.4	37.9	38.0	37.5	40.4	41.7	41.7	39.4	37.1	38.2	40.9	44.7	48.6	50.7
30	51.6	48.9	48.4	52.0	46.2	44.3	46.2	46.6	40.1	41.8	44.0	46.1	52.0	48.3	59.7	23.2	29.6	43.3	51.9	57.4	58.4	58.6	60.0	62.5
31	64.9	65.0	63.9	62.7	57.6	55.8	54.3	62.7	66.0	54.7	60.2	63.3	36.2	9.2	11.9	29.7	27.9	24.9	25.2	32.2	49.2	29.2	26.4	50.7

Monthly Sulfur Dioxide CEM Report

VEOLIA WATER

New Orleans - East Bank WWTP
Jan 01, 2013

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly Sulfur Dioxide CEM Report

VEOLIA WATER

New Orleans - East Bank WWTP
Feb 01, 2013

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
[illegible]	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Monthly Sulfur Dioxide CEM Report

VEOLIA WATER

New Orleans - East Bank WWTP
Mar 01, 2013

Hourly NOX Averages

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.5	47.1	52.7	99.8	25.3	11.0	9.8	8.8	8.2	8.0	8.0	8.0	8.1	8.
12	8.2	8.3	8.5	8.7	8.8	9.3	9.3	11.1	15.4	9.5	9.8	10.0	10.2	10.2	10.8	10.7	10.6	10.4	10.4	10.1	10.2	10.2	10.2	10.
13	10.3	10.4	10.4	10.4	10.6	11.3	10.7	10.9	11.7	11.8	11.8	11.9	11.9	11.9	11.5	11.2	11.1	11.0	10.6	10.6	10.4	10.7	10.8	10.
14	10.8	11.0	11.7	11.3	11.6	11.8	11.9	12.1	12.2	11.7	12.2	13.0	12.9	13.1	12.9	12.6	12.4	12.3	12.8	11.9	14.7	11.5	11.6	11.
15	11.7	11.8	11.6	12.0	12.5	12.6	12.8	14.7	9.2	17.8	18.6	18.0	18.3	19.5	20.4	15.2	14.8	20.4	20.7	21.2	21.7	21.7	12.0	11.
16	11.0	11.0	11.2	11.4	11.6	11.2	11.9	11.8	11.8	12.2	12.2	11.6	11.8	12.0	12.2	11.2	9.0	11.5	11.4	10.0	11.2	12.0	12.1	11.
17	10.9	10.9	11.6	12.2	12.3	12.4	12.5	12.1	12.2	12.0	12.1	12.5	12.5	12.3	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.7	2.3	3.3	4.8	3.3	2.9	3.3	3.1	2.7	2.1	1.6	2.6	2.
26	2.2	2.6	2.4	2.7	3.0	3.3	2.6	2.3	2.5	2.6	1.9	1.7	2.3	2.4	2.4	2.7	2.5	2.6	2.9	2.7	2.8	3.0	2.0	2.
27	1.9	2.1	2.1	1.7	1.6	2.3	1.8	2.2	2.0	1.7	2.1	2.4	2.3	2.8	2.9	2.5	3.5	3.7	4.2	2.0	2.6	2.4	2.5	2.
28	2.0	1.8	2.1	2.1	2.1	2.7	2.3	3.5	3.6	3.4	3.7	1.2	2.8	3.1	3.2	3.3	3.1	3.0	3.4	2.6	2.5	2.3	3.0	2.
29	1.9	1.3	1.3	1.4	0.4	1.5	1.8	2.0	2.9	1.9	3.1	3.3	3.6	3.3	3.2	3.3	3.1	3.7	3.6	3.3	3.2	3.0	3.1	3.
30	2.7	2.7	3.0	3.0	2.7	2.9	2.8	2.8	3.5	3.6	3.7	3.7	3.3	4.1	2.4	0.0	1.2	2.9	3.0	3.0	2.9	2.9	2.8	2.
31	2.7	2.8	2.8	2.9	3.5	3.8	3.5	2.5	2.8	3.2	2.8	2.9	1.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.